

## ADDRESSABLE MANUAL CALL POINT

### DC-1000MM



Agni Protection modern stylish Addressable manual call point made ABS material as per the IS standards its designed to provide manual fire reporting. The low-profile design provides aesthetic appeal that allows it to blend in with today's modern architectural styles.

There is a transparent glass protecting the MCP from the front side. All the MCP comes with a factory fitted back box for Surface or Semi flush mounting on the wall.

MCP ideal where emergency situations are identified and require an immediate evacuation. Steady Glow of Red LED will indicate the fire condition and blinking red indicates the normal condition of MCP.

### Features and Benefits :

- Wall mount facility
- Send manual alarm signal to control panel
- Dip-switch addressing.
- Press to reset switch to reset the device & panel.
- Dual LED on front blinking RED LED at fire condition steady Red.
- Safe and Reliable.
- Fully Confirm IS 2189.

☎ +91-8527498960, 8527498961, 8527498962

✉ sales@agniprotection.com, support@agniprotectionindia.com

🌐 [www.agniprotection.com](http://www.agniprotection.com)



An ISO 9001-2008 Certified Co.  
**AGNI PROTECTION PVT. LTD.**  
DATASHEET

### **ELECTRICAL SPECIFICATION:**

Operating Voltage	18-24V DC
Current Consumption in operating condition	150µA/ 60mA@ 24 VDC
Standby Current	65 µA

### **ENVIRONMENTAL INFORMATION:**

Operating Temperature	0° C to + 65° C
Operating Humidity	5 to 95% Relative Humidity (noncondensing)

### **MECHANICAL SPECIFICATION:**

Dimension	100X95X55
Weight	100 gm.
Colour	RED
Housing	ABS

### **WIRING DIAGRAM:**



An ISO 9001-2008 Certified Co.  
AGNI PROTECTION PVT. LTD.  
DATASHEET

### ORDERING INFORMATION:

MODEL NO	PACK QTY.	DIMESION (WXHXD) MM	WEIGHT
AP-201M	1	100X95X55	100 gm.

### APPROVED BY:



+91-8527498960, 8527498961, 8527498962

sales@agniprotection.com, support@agniprotectionindia.com

www.agniprotection.com